



NURABOND NO.10 ADHESIVE COMPOUND

MATERIAL SAFETY DATA SHEET

COMPANY DETAILS

Company	Nuralite Waterproofing Ltd
Address	53a Victoria Street, Onehunga, Auckland
Telephone	09 579 2046
Facsimile	09 579 5136
Email	info@nuralite.co.nz

IDENTIFICATION

Product Name	Nurabond No 10 Adhesive Compound
UN Number	Not Applicable
Hazchem Code	Not Applicable
NZ Dangerous Good Class	Not Applicable

PHYSICAL DATA

Vapour Pressure in MM HG	18
Boiling Point in Degs C	100
Vapour Density (Air-1)	1.26
Solubility in Water	100.0%
Evaporation Rate	1.0 (Butyl Acetate = 1)
Specific Gravity	1.0
Percent Volatile by Weight	Approx. 45.6
Appearance and Odour	Thick Black paste with slight odour

REACTIVITY DATA

Stability	Stable
Materials to avoid	Strong Oxidizers
Hazardous decomposition	Unknown due to the complex nature of this material. Fumes from products complete or incomplete combustion of this material may include carbon dioxide, carbon monoxide, water vapour, oxides of nitrogen or a wide variety of innocuous or toxic fumes.
Hazardous polymerization	Will not occur

HEALTH HAZARD DATA**HEALTH EFFECTS**

Ingestion	No hazard known
Absorption	No hazard known
Inhalation	No hazard known
Contact	No hazard known
Corrosion	No hazard known
Flammability	Not applicable

FIRST AID

Eye Contact	Flush eyes with a large amount of water for at least 15 minutes. See a physician if irritation persists
Skin Contact	Wash affected areas with soap & water. Launder contaminated clothing
Medical conditions aggravated by exposure	None known
Entry route	Ingestion, Contact
Chronic effects	Non irritant, to skin irritating to the eyes

SAFE HANDLING INFORMATION**FIRE & EXPLOSION DATA**

Flash Point	None
Upper Explosive Limit	Not Available
Lower Explosive Limit	Not Available

SPECIAL FIREFIGHTING PROCEDURES & UNUSUAL FIRE & EXPLOSION HAZARDS

Material can spatter above 100degrees C. The dried film can burn.

EXTINGUISHING MEDIA

Water spray, foam, dry chemical, carbon dioxide.

SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN WHEN MATERIAL IS SPILLED OR RELEASED

Soak up liquid with an absorbent material such as sand or earth. Package absorbent material or solid product in steel drums which are in good condition. Thoroughly clean area where spill occurred.

WASTE DISPOSAL METHOD

Dispose of in accordance with local waste regulations

PRECAUTIONS FOR USE

SPECIAL PROTECTION INFORMATION

Ventilation	Not necessary but may be desirable to reduce odours
Protective gloves	Not normally required
Eye protection	Not normally required but is desirable handling any industrial product

SPECIAL PRECAUTIONS

Handling and Storage Store in a covered location in moderate temperatures. Direct sunlight and frosts should be avoided. **DO NOT ALLOW TO FREEZE.**
Keep container tightly closed when not being used.

Other precautions Use with adequate ventilation, avoid prolonged or repeated breathing of vapours. Avoid skin contact.